


#### GENERAL NOTES:

1. ANY DEVIATIONS FROM THESE STANDARDS SHALL BE SUBMITTED TO THE CITY FOR PRIOR APPROVAL.
2. ALL WORK IN PUBLIC RIGHT-OF-WAY SHALL BE CONSTRUCTED BY A LICENSED CONTRACTOR AND REQUIRES PERMIT AND APPROVAL BY THE CITY.

#### KEYED NOTES:

- ① STABILIZED W/ HAND ROLLER COMPACTED CRUSHER FINES, 4" DEPTH, WITH WEED BARRIER FABRIC. PLASTIC WEED BARRIER IS NOT ACCEPTABLE. MAX. CROSS / RUNNING SLOPE AT 3%.
- ② LANDSCAPING SHALL BE IN ACCORDANCE THE CITY OF RIO RANCHO'S DEVELOPMENT PROCESS MANUAL, CHAPTER II.3 SECTION 8 AND BE APPROVED BEFORE PLACEMENT BY THE CITY.
- ③ FOR ROADS HAVING A CENTERLINE SLOPE OF 3% OR GREATER, THE BUFFER SHALL BE STAMPED CONCRETE OR AS APPROVED BY THE CITY.

DATE MODIFIED: JAN 03, 2022



City of Rio Rancho  
Department of Public Works

BUFFER, MEDIAN & RIGHT-OF-WAY  
SLOPES DETAIL

DWG. NO. BF-01

OCT 17, 2008